

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/563409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S2	2612	updat\$3 near10 memory near10 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S3	1352	updat\$3 near5 memory near5 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S4	3	updat\$3 near5 memory near5 position same updat \$3 near5 (division partial \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S5	24	updat\$3 near5 memory near5 position same (division partial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S6	18	project\$3 near5 dimension \$3 same distance near5 record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S7	1087	project\$3 near5 dimension \$3 near5 (smaller lesser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S8	13	project\$3 near5 dimension \$3 near5 (smaller lesser) same coordinat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S9	8	semeion.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S10	17	(BUSCEMA near paolo).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S11	2	S10 and project\$3 same dimension	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S12	1987	(convert\$3 conversion project\$3) same (3- dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same coordinat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S13	618	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3- d 3d) same (2-dimension\$3 2-d 2d) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S14	446	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3- d 3d) same (2-dimension\$3 2-d 2d) and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S15	66	(convert\$3 conversion project\$3) near10 coordinat\$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S16	69	(convert\$3 conversion project\$3) near10 coordinat\$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (shortest minimal minimiz\$3) near10 distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S17	21	(convert\$3 conversion project\$3) near10 coordinat\$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S18	2	(convert\$3 conversion project\$3) near10 (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S19	10	(convert\$3 conversion project\$3) near10 (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (distance near5 matrix) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S20	50	(convert\$3 conversion project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S21	62	(map\$4 project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S22	53	(map\$4 project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S23	329	(self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc \$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S24	184	(self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc \$4) and coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S25	38	(cube olap) and (self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc\$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S26	50	((data adj cube) olap) same ((three "3") near5 dimension\$5) same ((two "2") near5 dimension\$5) same (project\$3 map\$4 convert\$3 conversion reduc \$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S27	3	gend near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S28	5	genetic near5 doping near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S29	5	(dimension\$5 near5 reduc \$4) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S30	42	(project\$3 map\$4 convert \$3 conversion) same (three adj dimension\$5) same (two adj dimension\$5) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S31	10	(project\$3 convert\$3 conversion) same (three adj dimension\$5) same (two adj dimension\$5) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S32	99	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S33	10	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and geographic\$2 near5 (location site database (data adj base)) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S34	120	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and (molecule atom particle) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S35	8	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S36	82	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S37	16	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same coordinate and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S38	66	S36 not S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S39	64	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same (molecule atom) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S40	56	S39 not S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S41	5	(project\$3 convert\$3 conversion translat\$3) near5 molecule same (three adj dimension\$5) same (two adj dimension\$5) and distance same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S42	8	(project\$3 convert\$3 conversion translat\$3) near5 molecule same dimension\$5 and neural near5 network and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S43	18	alzheimer and pathological near5 status and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S44	18	dimension\$5 same (map\$4 project\$3 convert\$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S45	10	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S46	8	S44 not S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S47	12	dimension\$5 same (map\$4 project\$3 convert\$3 conversion) and probability same alzheimer and pathological and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S48	634	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S49	296	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S50	71	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S51	44	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and pathological and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S52	6	dimension\$5 with (project \$3) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S53	778	(project\$3 transform\$3 translat\$3) near5 less\$2 near5 dimension\$2 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S54	1	(project\$3 transform\$3 translat\$3 reduc\$3) near5 less\$2 near5 dimension\$2 same "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S55	227	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 same "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S56	9	S55 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S57	1	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 near5 "n-1" same (display\$3 output\$4) near5 "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S58	37	(display\$3 output\$4) near5 "n-1" near5 dimension\$4 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S59	218	S55 not S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S60	49	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 same "n-1" and (database (data adj base)) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S61	2	marriage same mutation same internal near5 variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S62	5	genetic near5 doping near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S63	3	S55 and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S64	134	(data record) near5 projection and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01

S65	80	(data record) near5 projection and evolution\$3 same algorithm and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S66	12	S65 and "n-1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S67	20	(n-1) near5 dimension and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S68	760	self near2 organiz\$5 near2 map\$4 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S69	106	S68 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S70	1	"5,581,259".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:01
S71	17459	707/104.1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:06
S72	1	S16 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:07

S73	3	S64 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:07
S74	0	S34 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:07
S75	4	S55 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:07
S76	9	S2 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:07
S77	1	S7 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:07
S78	909	707/798 706/13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:15
S79	0	S16 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:15
S80	0	S34 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:15

S81	2	S64 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:15
S82	0	S55 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:15
S83	0	S7 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:15
S84	0	S3 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:15
S85	0	S13 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:16
S86	0	S48 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:16
S87	4	S68 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:16
S88	1	10/563409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S89	2612	updat\$3 near10 memory near10 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S90	1352	updat\$3 near5 memory near5 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S91	3	updat\$3 near5 memory near5 position same updat \$3 near5 (division partial \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S92	24	updat\$3 near5 memory near5 position same (division partial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S93	18	project\$3 near5 dimension \$3 same distance near5 record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S94	1087	project\$3 near5 dimension \$3 near5 (smaller lesser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S95	13	project\$3 near5 dimension \$3 near5 (smaller lesser) same coordinat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S96	8	semeion.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S97	17	(BUSCEMA near paolo).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S98	2	S97 and project\$3 same dimension	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S99	1987	(convert\$3 conversion project\$3) same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same coordinat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S100	618	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S101	446	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S102	66	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S103	69	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (shortest minimal minimiz\$3) near10 distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S104	21	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S105	2	(convert\$3 conversion project\$3) near10 (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S106	10	(convert\$3 conversion project\$3) near10 (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (distance near5 matrix) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S107	50	(convert\$3 conversion project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S108	62	(map\$4 project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S109	53	(map\$4 project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S110	329	(self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc \$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S111	184	(self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc \$4) and coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S112	38	(cube olap) and (self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc\$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S113	50	((data adj cube) olap) same ((three "3") near5 dimension\$5) same ((two "2") near5 dimension\$5) same (project\$3 map\$4 convert\$3 conversion reduc \$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S114	3	gend near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S115	5	genetic near5 doping near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S116	5	(dimension\$5 near5 reduc \$4) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S117	42	(project\$3 map\$4 convert \$3 conversion) same (three adj dimension\$5) same (two adj dimension\$5) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S118	10	(project\$3 convert\$3 conversion) same (three adj dimension\$5) same (two adj dimension\$5) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S119	99	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S120	10	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and geographic\$2 near5 (location site database (data adj base)) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S121	120	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and (molecule atom particle) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S122	8	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S123	82	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S124	16	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same coordinate and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S125	66	S123 not S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S126	64	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same (molecule atom) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S127	56	S126 not S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S128	5	(project\$3 convert\$3 conversion translat\$3) near5 molecule same (three adj dimension\$5) same (two adj dimension\$5) and distance same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S129	8	(project\$3 convert\$3 conversion translat\$3) near5 molecule same dimension\$5 and neural near5 network and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S130	18	alzheimer and pathological near5 status and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S131	18	dimension\$5 same (map\$4 project\$3 convert\$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S132	10	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S133	8	S131 not S132	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S134	12	dimension\$5 same (map\$4 project\$3 convert\$3 conversion) and probability same alzheimer and pathological and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S135	634	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S136	296	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S137	71	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S138	44	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and pathological and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S139	6	dimension\$5 with (project \$3) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S140	778	(project\$3 transform\$3 translat\$3) near5 less\$2 near5 dimension\$2 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S141	1	(project\$3 transform\$3 translat\$3 reduc\$3) near5 less\$2 near5 dimension\$2 same "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S142	227	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 same "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S143	9	S142 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S144	1	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 near5 "n-1" same (display\$3 output\$4) near5 "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S145	37	(display\$3 output\$4) near5 "n-1" near5 dimension\$4 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S146	218	S142 not S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S147	49	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 same "n-1" and (database (data adj base)) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S148	2	marriage same mutation same internal near5 variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S149	5	genetic near5 doping near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S150	3	S142 and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S151	134	(data record) near5 projection and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S152	80	(data record) near5 projection and evolution\$3 same algorithm and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S153	12	S152 and "n-1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S154	20	(n-1) near5 dimension and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S155	760	self near2 organiz\$5 near2 map\$4 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S156	106	S155 and "706".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S157	1	"5,581,259".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S158	17459	707/104.1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S159	1	S103 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S160	3	S151 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S161	0	S121 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S162	4	S142 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S163	9	S89 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S164	1	S94 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S165	909	707/798 706/13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S166	0	S103 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S167	0	S121 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S168	2	S151 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S169	0	S142 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S170	0	S94 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24

S171	0	S90 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S172	0	S100 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S173	0	S135 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S174	4	S155 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:24
S175	53	707/802	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/04/28 10:29

4/ 28/ 2010 10:30:23 AM

**C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces
\ son_10_563_409_case.wsp**